



**WEVER & DUCRÉ**  
LIGHTING

# ODREY 1.0

257120B0

Project
Type
Notes
Quantity
Date

## GENERAL

Ceiling  
Suspended  
Jet Black  
IP20  
Interior  
665<sup>a</sup>, 765<sup>b</sup>, 835<sup>c</sup> lm  
9005<sup>d</sup>

## LED

Lamp PAR16  
PAR16  
Socket GU10  
max. 12 W  
L70 / 50000 h

## OPTICAL

Beam angle 47°

## PHYSICAL

Diameter 40 mm  
Height 85 mm  
0.22 kg  
incl. 2.5 m suspension


## ELECTRICAL

100 - 240 V  
Total connected power 15<sup>a</sup>, 16<sup>b</sup>, 18<sup>c</sup> W  
PC1  
Safety distance 0.3 m

- <sup>a</sup> LED 2700K CRI 90 black
- <sup>b</sup> LED 3000K CRI 90 black
- <sup>c</sup> LED 1800-2850K CRI 90 silver
- <sup>d</sup> RAL Palette colors may deviate slightly due to production conditions.



## LIGHT DISTRIBUTION





WEVER & DUCRÉ  
LIGHTING

# ODREY 1.0

257120B0

## CONE DIAGRAM

LED 1800-2850K CRI ≥ 90 :

h (m)	E0° (lx)	Ø (m)
1	1160	0.88
2	291	1.75
3	129	2.63
4	72	3.50
5	46	4.38

## LED LAMPS

### PAR16 LED Lamp

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
2700K   >90 CRI   GU10	Jet Black	∅50-58	9 0 1 2 2 8 B 3
3000K   >90 CRI   GU10	Jet Black	∅50-58	9 0 1 2 2 8 B 5
2700K   >80 CRI   GU10	Signal White	∅50-58	9 0 1 2 2 8 W 2
2700K   >90 CRI   GU10	Signal White	∅50-58	9 0 1 2 2 8 W 3
3000K   >80 CRI   GU10	Signal White	∅50-58	9 0 1 2 2 8 W 4

### PAR16 LED Lamp | Ambient

TYPE	Ø · H (MM)	ORDERCODE
1800-2850K   >90 CRI   GU10	∅50-58	9 0 1 2 2 9 S 9

## Inner Cover

### Inner Cover 1.0

TYPE	COLOUR	ORDERCODE
ODREY	Jet Black	9 1 1 4 2 0 B 0
ODREY	Gold	9 1 1 4 2 0 G 0

## Shade 8

### Shade 8.0

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
ODREY	Jet Black	∅250-50	9 1 1 4 2 8 B 1
ODREY	Gold	∅250-50	9 1 1 4 2 8 G 1

## Shade 7

### Shade 7.0

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
ODREY	Jet Black	∅150-50	9 1 1 4 2 7 B 1
ODREY	Gold	∅150-50	9 1 1 4 2 7 G 1



WEVER & DUCRÉ  
LIGHTING

# ODREY 1.0

257120B0

## Shade 6

### Shade 6.0

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
ODREY	Jet Black	ø190-75	9 1 1 4 2 6 B 1
ODREY	Gold	ø190-75	9 1 1 4 2 6 G 1

## Shade 5

### Shade 5.0

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
ODREY	Jet Black	ø115-160	9 1 1 4 2 5 B 1
ODREY	Gold	ø115-160	9 1 1 4 2 5 G 1

## Shade 4

### Shade 4.0

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
ODREY	Jet Black	ø124-120	9 1 1 4 2 4 B 1
ODREY	Gold	ø124-120	9 1 1 4 2 4 G 1

## Shade 3

### Shade 3.0

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
ODREY	Jet Black	ø100-85	9 1 1 4 2 3 B 1
ODREY	Gold	ø100-85	9 1 1 4 2 3 G 1

## Shade 2

### Shade 2.0

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
ODREY	Jet Black	ø250-44	9 1 1 4 0 B B 0
ODREY	Black texture and Gold	ø250-44	9 1 1 4 0 B G 0
ODREY	Gold and Black texture	ø250-44	9 1 1 4 0 G B 0
ODREY	Gold	ø250-44	9 1 1 4 0 G G 0

## Shade 1

### Shade 1.0

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
ODREY	Jet Black	ø55-50	9 1 1 4 2 1 B 1
ODREY	Gold	ø55-50	9 1 1 4 2 1 G 1



WEVER & DUCRÉ  
LIGHTING


# ODREY 1.0

257120B0

## SUSPENSION OPTIONS

### Invisible Ceiling Suspension System

TYPE	L · W · H (MM)	ORDERCODE
Plasterkit	156-60-26	9 0 0 1 5 1 9 5



### Single Suspension

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
Ceiling Base round	Signal Black	∅84-29	9 0 0 5 2 0 2 1
Ceiling Base round	Pure White	∅84-29	9 0 0 5 2 0 2 2
Ceiling Base   semi recessed	Pure White	∅84-72	9 0 0 5 2 0 2 6
Ceiling Base   semi recessed	Signal Black	∅84-72	9 0 0 5 2 0 2 7

