

PLANO SURFACE 2.0 PAR16

118620B0

Project				
Туре				
Notes				
Quantity				
Date				

GENERAL

Ceiling, Surface
Tilt max 30°
Rotation 355°
Black Matt
RAL 9005 ^a
IP20
Interior
Output: 420 ^b , 440 ^c lm
CIE flux code: 94 98 100 100 92

LED

Lamp PAR16				
Socket GU10				
max. per socket 12.0 W				
CRI ≥ 90				

ELECTRICAL


100 - 240 V
LED Inset 3.3 W
Total insets 6.5 W
Class 1

PHYSICAL

Length 224 mm	
Width 84 mm	
Height 120 mm	
1.51 kg	

^a Color may deviate slightly due to production


^c PAR16 LAMP 3000K CRI90








 $Rectangular\ ceiling\ surface\ mounted\ downlight\ with\ 2\ spots\ made\ from\ die-cast\ aluminium;\ surface\ Black$ $Matt; powder coated, matt texture; RAL\,9005; lamp \, socket\,GU10; lamp \, type\, PAR16; max.\,\, 12W; 100-240\, V; lamp \, type\, PAR16; max.\,\, 12W; lamp \, type\, PA$ $355^{\rm o}$ rotatable and $30^{\rm o}$ tiltable; degree of protection IP20; PC1; lamp not included;



LIGHT DISTRIBUTION





PLANOSURFACE 2.0 PAR16

118620B0

LAMPS

PAR16 LED Lamp

TYPE	COLOUR	Ø·H (MM)	ORDERCODE
2700K >90 CRI GU10	Black	Ø50·60	901228B3
3000K >90 CRI GU10	Black	Ø50·60	901228B5
2700K >90 CRI GU10	White	Ø50·60	901228W3
3000K >90 CRI GU10	White	Ø50·60	901228W5
2700K >80 CRI GU10	Silver	Ø50·60	90522782
3000K >80 CRI GU10	Silver	ø50·60	9 0 5 2 2 7 S 4

March 28, 2024