



WEVER & DUCRÉ
LIGHTING

SHIEK 5.0 LED

237589Z9

Project

Type

Notes

Quantity

Date

GENERAL

Ceiling

Suspended

Jet Black + Copper

IP20

Interior

510 lm

LED

1800 K - 2850 K

3-step binning

OPTICAL

High Performance Opal

PHYSICAL

Diameter 300 mm

Height 260 mm

0.8 kg

incl. 4.0 m suspension

ELECTRICAL

phase-cut dim

220 - 240 V

Total connected power 11 W

PC2

Safety distance 0.3 m





WEVER & DUCRÉ
LIGHTING

SHIEK 5.0 LED

237589Z9

Maintenance Factors

Operating Time [h]	10 000	20 000	30 000	40 000	50 000
LLMF	0.97	0.93	0.89	0.85	0.81
LSF	1	1	1	1	1

MF	LMF × RSMF × LLMF × LSF	RSMF ^a	Room Surface Maintenance Factor
MF	Maintenance Factor	LLMF	Lamp Lumens Maintenance Factor
LMF ^a	Luminaire Maintenance Factor	LSF	Lamp Survival Faktor

^a According to "CIE 97, Maintenance of indoor electric lighting systems", 2005, ISBN 3-900-734-34-8. The values must be determined by the planner.

MULTI SUSPENSION OPTIONS

Multiple Suspension

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
Ceiling Base round for up to 8 lamps	Signal White	∅123 · 44	9 0 0 5 2 0 0 5
Ceiling Base round for up to 8 lamps	Jet Black	∅123 · 44	9 0 0 5 2 0 0 6
Ceiling Base Long for 2 Lamps	Signal White	600 · 30 · 45	9 0 0 5 2 0 0 7
Ceiling Base Long for 2 Lamps	Jet Black	600 · 30 · 45	9 0 0 5 2 0 0 8
Ceiling Base Long for 3 Lamps	Signal White	900 · 30 · 45	9 0 0 5 2 0 0 9
Ceiling Base Long for 3 Lamps	Jet Black	900 · 30 · 45	9 0 0 5 2 0 1 0
Ceiling Base Long for 4 Lamps	Signal White	1200 · 30 · 45	9 0 0 5 2 0 1 1
Ceiling Base Long for 4 Lamps	Jet Black	1200 · 30 · 45	9 0 0 5 2 0 1 2
Ceiling Base Long for 5 Lamps	Signal White	1500 · 30 · 45	9 0 0 5 2 0 1 3
Ceiling Base Long for 5 Lamps	Jet Black	1500 · 30 · 45	9 0 0 5 2 0 1 4

Connector Set

TYPE	ORDERCODE
extra set standard connectors for 5 to 8 lamps	9 0 0 5 9 1 1 8


Cable ring

TYPE	COLOUR	∅ · H (MM)	ORDERCODE
for 3 lamps	Signal Black	∅60 · 10	9 0 0 5 9 1 2 1
for 4 lamps	Signal Black	∅60 · 10	9 0 0 5 9 1 2 2
for 3 lamps	Pure White	∅60 · 10	9 0 0 5 9 1 2 3
for 4 lamps	Pure White	∅60 · 10	9 0 0 5 9 1 2 4

SINGLE SUSPENSION OPTIONS

Invisible Ceiling Suspension System

TYPE	L · W · H (MM)	ORDERCODE
Plasterkit	156 · 60 · 26	9 0 0 1 5 1 9 5





WEVER & DUCRÉ
LIGHTING

SHIEK 5.0 LED

237589Z9

Single Suspension

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
Ceiling Base round	Signal Black	Ø84·29	9 0 0 5 2 0 2 1
Ceiling Base round	Pure White	Ø84·29	9 0 0 5 2 0 2 2
Ceiling Base semi recessed	Pure White	Ø84·72	9 0 0 5 2 0 2 6
Ceiling Base semi recessed	Signal Black	Ø84·72	9 0 0 5 2 0 2 7

