



## Description

A bubble suspended within a large sphere...  
 This sophisticated structure evokes a sense of levitation in mid-air. The outer handblown glass sphere features a glossy transparent or smoke grey finish, while the inner glass core comes in a matte finish.




**Tech. description** The light comprises a matte glass core with G9 socket. The core is suspended from three steel cables attached to the ceiling by means of brackets. The cables also support a metal ring from which the outer glass sphere is suspended. The electrical connection is made in the ceiling canopy, which houses an insulated box for double insulation.

Colours options: [https://brokis.sharepoint.com/:b:/s/brokis\\_sp/Ef3Qhk8YNeZDr\\_Sqi3dlzcYBJbgGJFcKYdHFzVcb1zm1NA](https://brokis.sharepoint.com/:b:/s/brokis_sp/Ef3Qhk8YNeZDr_Sqi3dlzcYBJbgGJFcKYdHFzVcb1zm1NA)

## CONSTRUCTION SPECIFICATION

**Weight:** 9 kg  
**Construction material:** glass, metal  
**Cord length [mm]:** 2,000 mm  
**Mounting:** Ceiling  
**Environment:** Indoor

## DIMENSIONS [mm]



## ELECTRICAL SPECIFICATION

**Input voltage [V]:** 230 V  
**Frequency [Hz]:** 50-60 Hz  
**Max. power [W]:** 10 W LED  
**Coverage IP:** 20  
**Socket:** G9  
**Light source:** -  
**Energy class:** A+ to B depending on light source

## CERTIFICATIONS




# DATASHEET

## RECOMMENDED BULBS



Download



### CM7632

<b>Socket</b>	G9
<b>Type</b>	LED
<b>Lamp wattage [W]</b>	4.5 W
<b>Input voltage [V]</b>	220 - 240 VAC
<b>Energy class</b>	A+
<b>Flux [lm]</b>	399 lm
<b>Light colour [K]</b>	2700 K
<b>CRI</b>	80+
<b>Lifespan [h]</b>	15000h
<b>Dimmable</b>	yes
<b>Dimensions h x w [mm]</b>	54 x 18 mm



BROKIS®

BROKIS S.R.O.  
ŠPANIĚLOVA 1315/25  
163 00 PRAHA 6 - ŘEPY  
CZECH REPUBLIC

ORG ID 64940799  
VAT ID CZ64940799  
C 42174 MĚSTSKÝ SOUD  
V PRAZE

TEL +420 567 211 517  
TECHNICAL@BROKIS.CZ  
INFO@BROKIS.CZ  
WWW.BROKIS.CZ

2020\_08  
PAGE 2

# DATASHEET

## RECOMENDED CANOPY




Download

### CEILING CANOPY

Dimensions O x w [mm]	100 x 46 mm
Weight [kg]	0,3 kg
Material	metal



### Drawing



### Canopy bracket

