

CLEA SUSPENDED 1.0

281784W3

GENERAL

Ceiling , Suspended

White Matt

IP20

Interior

Output: 710 lm

LED

2700 K

2 SDCM

OPTICAL

Opal ,

ELECTRICAL

phase-cut dim

220 - 240 V

Total connected power 15.0 W

Class 1

PHYSICAL

Diameter 350 mm

Height 90 mm

0.8 kg



Project

Type

Notes

Quantity

Date



CLEA SUSPENDED 1.0

281784W3

SINGLE SUSPENSION

Invisible ceiling base

COLOUR	L · W (MM)	ORDERCODE
Black	140-66	9 0 0 1 5 1 9 5
White	140-66	9 0 0 1 5 1 9 6



Single base

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
ceiling base round	Black	Ø84-29	9 0 0 5 2 0 2 1
ceiling base round	White	Ø84-29	9 0 0 5 2 0 2 2

Semi recessed base

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
for shades without steel wire only	White	Ø84-72	9 0 0 5 2 0 2 6
for shades without steel wire only	Black	Ø84-72	9 0 0 5 2 0 2 7

WALL BASE

WALL BASE

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
for 1 luminaire	White	Ø82-32	9 0 0 1 9 1 9 5
for 1 luminaire	Black	Ø82-32	9 0 0 1 9 1 9 6

Cable Wall-Ceiling Bracket

COLOUR	Ø · H (MM)	ORDERCODE
White	Ø16-30	9 0 0 1 9 1 9 7
Black	Ø16-30	9 0 0 1 9 1 9 8

MULTI SUSPENSION

Multiple base round

TYPE	COLOUR	Ø · H (MM)	ORDERCODE
up to max. 4 luminaires	White	Ø123-44	9 0 0 5 2 0 0 5
up to max. 4 luminaires	Black	Ø123-44	9 0 0 5 2 0 0 6
up to max. 8 luminaires	White	Ø123-44	9 0 0 5 2 0 3 1
up to max. 8 luminaires	Black	Ø123-44	9 0 0 5 2 0 3 2

Multiple base linear

TYPE	COLOUR	L · W · H (MM)	ORDERCODE
up to max. 2 luminaires	White	600-30-45	9 0 0 5 2 0 0 7
up to max. 2 luminaires	Black	600-30-45	9 0 0 5 2 0 0 8
up to max. 3 luminaires	White	900-30-45	9 0 0 5 2 0 0 9
up to max. 3 luminaires	Black	900-30-45	9 0 0 5 2 0 1 0
up to max. 4 luminaires	White	1200-30-45	9 0 0 5 2 0 1 1
up to max. 4 luminaires	Black	1200-30-45	9 0 0 5 2 0 1 2
up to max. 5 luminaires	White	1500-30-45	9 0 0 5 2 0 1 3
up to max. 5 luminaires	Black	1500-30-45	9 0 0 5 2 0 1 4



WEVER & DUCRÉ
LIGHTING

CLEA SUSPENDED 1.0

281784W3

OPTIONAL

Hook

TYPE	COLOUR	Ø-H (MM)	ORDERCODE
standard multi suspension hook	Black	Ø3-83	9 0 0 5 2 0 2 4
standard multi suspension hook	White	Ø3-83	9 0 0 5 2 0 2 5
optional multi suspension hook	Black	Ø5-90	9 0 0 5 2 0 6 5
optional multi suspension hook	White	Ø5-90	9 0 0 5 2 0 6 6
for cable 4.25-5.5mm diameter	White	Ø15-35	9 0 0 5 2 0 7 9
for cable 4.25-5.5mm diameter	Black	Ø15-35	9 0 0 5 2 0 8 0